

# WINNING

2022 ▶ 2023



# GRIP

## Lock Grip

EN71,ROHS,PROP65,CPSIA,REACH CERTIFIED,ISO4210

NEW



WI - 1176LCAK  
size 135mm  
(雙通附K塞)

NEW



WI - 1172LC  
size 130mm

NEW



WI - 1172MC  
size 100mm

NEW



WI - 1174LCM  
size 130mm

NEW



WI - 1173LCM size 130mm  
WI - 1173NCM size 100mm  
WI - 1173SCM size 80mm

NEW



WI - 1171LCM size 130mm  
WI - 1171MCM size 120mm  
WI - 1171NCM size 100mm  
WI - 1171SCM size 80mm  
WI - 1171SSCM size 60mm



WI - 1162LCM(雙通附M塞)  
size 130mm



NEW



WI - 1162L size 130mm  
WI - 1162LB size 130mm  
WI - 1162SB size 70mm

NEW



WI - 1175L  
size 120mm

NEW



WI - 1151L  
size 130mm

NEW



WI - 1110  
size 105mm

NEW



WI - 1109  
size 105mm

NEW



WI - 1163L/S  
size L120/S70mm

# GRIP

Material:Kraton/Gel

Material:Kraton/Gel



WI - 1108LB  
size 122mm



WI - 1108L  
size 122mm



WI - 1153  
size 130mm



WI - DG80 size 80mm  
WI - DG81 size 125mm



WI - 1147S  
size 100mm



WI - 1142L/S  
size L120mm/S95mm



WI - 1114LB  
size 130mm



WI - 1114L  
size 130mm



WI - 1119  
size 105mm



WI - 1164B  
size 135mm&92mm&72mm



WI - 1164C  
size 135mm&92mm&72mm




WI - 1111  
size L130mm/S75mm



WI - 1168SB  
size 102mm



WI - 1168LB  
size 130mm



WI - 1154  
size 115mm(16"/20")



WI - 1118  
size 135mm



WI - 1112C  
size 125mm&100mm&92mm  
75mm&60mm




WI - 1112H  
size 125mm&100mm&92mm  
75mm&60mm



WI - 1169LB  
size 130mm



WI - 1169L  
size 130mm



WI - 1146  
size 105mm(12"/16")



WI - 1155C  
size 120mm&95mm



WI - 1104M/S  
size M100mm/S85mm  
With logo(optional)



WI - 1167L/S  
size L135mm/S95mm



WI - 1168S  
size 102mm



WI - 1168L  
size 130mm



WI - 1113  
size 102mm



WI - 1152LB/SB  
size LB125mm/SB95mm  
With logo(optional)



WI - 1152L/S  
size L125mm/S95mm  
With logo(optional)



WI - 1167LB/SB  
size LB135mm/SB95mm

# GRIP

Material:Kraton/Gel

Soft grips with tough feature



WI - 1159SB  
size 95mm



WI - 1159LB  
size 128mm



WI - 1112  
size 125mm



WI - 1166SSB size 65mm  
WI - 1166SB size 92mm



WI - 1166MB size 102mm  
WI - 1166LB size 122mm



100%Silicone  
WI - 1120  
size 125mm



WI - 1159S  
size 95mm



WI - 1159L  
size 128mm



WI - 1155  
size L120mm/M95mm/S75mm



WI - 1166SS size 65mm  
WI - 1166S size 92mm



WI - 1166M size 102mm  
WI - 1166L size 122mm



100%Silicone  
WI - 1117  
size 130mm



WI - 1160SB  
size 95mm



WI - 1160LB  
size 135mm



WI - 1102L/S  
size L120mm/S75mm



WI - 1116LB  
size 130mm



WI - 1116L  
size 130mm



WI - 1149  
size 120mm



WI - 1165SB  
size 95mm



WI - 1165LB  
size 135mm



WI - 1148  
size L120mm/S100mm/B85mm



WI - 1139SB  
size 92mm



WI - 1139MB  
size 102mm



WI - 1139LB  
size 122mm




WI - 1138  
size 125mm



WI - K130 size 130mm  
WI - K100 size 100mm  
WI - K86 size 86mm  
WI - K60 size 60mm



WI - S75 size 75mm  
WI - S102 size 102mm  
WI - S120 size 120mm



WI - 1170  
size 60/75/90/105/120/135mm



WI - 1139S  
size 92mm



WI - 1139M  
size 102mm



WI - 1139L  
size 122mm



WI - 1137  
size 85mm



Special design for Revo shifter

# RIM TAPE

**HOT**

EN71,ROHS,PROR65,CPSIA,REACH  
CERTIFIED

Material : Nylon/PVC  
Thick : 0.45mm-0.5mm  
Wide : 12-XXmm  
Rim : 12"-29"  
Valve : AV 9mm ; FV 6mm  
Item number : WI-Rim\*Wide



Material : PVC  
Thick : 0.6mm-0.7mm  
Wide : 12-XXmm  
Rim : 12"-29"  
Valve : AV 9mm ; FV 6mm  
Item number : WI-Rim\*Wide

**EX**  
Rim : 700C  
Wide : 16mm  
Valve : AV-P  
Item number : WI-700C\*16-AV-P

**EX**  
Rim : 700C  
Wide : 16mm  
Valve : AV  
Item number : WI-700C\*16-AV


**Material:PP**

# DRESS GUARD


**SIZE:24"-28"**



WI - 9117




WI - 9116R  
Size : 24"-28" (240x290x70mm)  
Customized size available




WI - 9117  
Size : 24"-28" (350x400x80mm)  
Customized size available



WI - 9119R



WI - 9119F  
Size : 24"-28" (650mm)  
Customized size available



WI - 9119R  
Size : 24"-28" (400x235x80mm)  
Customized size available

# PLUGS

**Material:PP/TPR**



WI - 7106B A:24mm B:18.5mm  
WI - 7106E A:24mm B:21.5mm  
WI - 7106F A:26mm B:18.5mm  
WI - 7106H A:24mm B:24mm  
WI - 7106I A:20mm B:18.5mm  
WI - 7106J A:20mm B:21.5mm  
WI - 7106L A:26mm B:21.5mm  
WI - 7106M A:31mm B:21mm  
WI - 7106N A:30mm B:21.5mm



WI - 7106K  
A:26mm B:20mm



CP  
WI - 7109C  
A:25mm B:20mm



Carbon Look  
WI - 7106D  
A:25mm B:20mm



WI - 7106Z A:28mm B:18.5mm  
WI - 7106G A:28mm B:16.5mm




WI - 1170H  
A:28mm B:16mm




WI - 9125-AA  
(Matt+golden lines)



WI - 9125-CA  
(Glossy)



WI - 9108  
WI - 9108A(附白鐵掛勾)



WI - 9118

# MUDGUARDS

Material:PP/ABS/PC

Customized design available



R:430mm FL:300mm FS:235mm



Easily assembled,  
2 joints to adjust with different angles.  
Available for 24"-26"tyres,  
two different colors to fit your bikes



Assembled on  
seatstay's carrier  
stoppers




Assembled on rear brake pivot

26"



16-20"



# MUDGUARDS

Material:PP/ABS/PC

R:430mm FL:300mm FS:235mm

16"




WI - 6106F/R



WI - 6107F3/R3

12"



WI - 6108F/R



WI - 6109F3/R3

## childred mudguards



WI - 8202  
Steel Bracket  
Material : PP  
Size : 12"



WI - 8213  
Steel Bracket  
Material : PP  
Size : 12"



WI - 8217  
Steel Bracket  
Material : PP  
Size : 16"

WI - 8203  
Material : PP  
Size : 20"



WI - 8211  
Material : PP  
Size : 18"



WI - 9109L (A:60mm)  
Rubber Mudflap  
WI - 9109S (A:50mm)  
Rubber Mini Mudflap

# CABLE GUIDES

Material:PP/NYLON



WI - 7110L (28.6R) Ø57.5mm  
WI - 7110S (20.6R) Ø40mm  
WI - 7120 (23.8R) Ø40-57mm  
WI - 7120L (23.8R)  
WI - 7123 (19R) Ø57.5mm  
WI - 7123S (19R) Ø57.5mm



WI - 7132 (25.4R) Ø40mm  
WI - 7133-15 (L:15mm)  
WI - 7133-52 (L:52mm)  
WI - 7133-80 (L:80mm)  
(20.6R) Ø40mm  
WI - 7134 (27R) Ø57.5mm  
L:75mm  
WI - 7142-3D (20.6R) Ø40mm  
L:20mm  
WI - 7143 (27R) Ø57.5mm  
L:50mm  
WI - 7145 (20.6R) Ø40mm



WI - SC96 (22.2R) L:70mm  
WI - SC97 (31.8R) Ø57.5mm  
L:70mm  
WI - 7174H Ø8mm  
WI - 7175H L:72mm  
WI - 7176H Ø4.8mm  
WI - 7173H L:25mm



WI - 7139H Ø5mm  
L:25mm  
WI - 7150H Ø5.3mm  
WI - 7151H Ø5mm  
WI - 7118H Ø4.7mm  
WI - 7119H Ø4.5mm  
L:27mm



WI - 7190 Ø4.9mm  
WI - 7192L Ø6.5mm  
WI - 7192S Ø4mm  
WI - 7168 Ø5.2mm  
WI - 7168-6 Ø6mm  
WI - 7170H L:65mm  
WI - 7193 Ø5mm




WI - 7187A L:20mm  
WI - 7187B  
WI - 9156-8B L:138mm  
Ø8mm  
WI - 7159B (A:5mm)  
WI - 7159C (A:4mm)  
WI - 7154  
WI - 7154-254  
WI - 7155


# FULL CHAIN GUARDS

Material:PP/ABS

Various sizes for all bike and crank



Customized color available



- WI - 5002 (12" 28T)
- WI - 5003 (16" 28T)
- WI - 5005 (18" 33T)
- WI - 5006 (20" 33T)
- WI - 5007 (22" 33T)



**E Bracket**  
steel bracket  
H:35mm



inner cover with E Bracket

- RC240±10mm;B:305mm
- RC315±10mm;B:385mm
- RC330±10mm;B:400mm
- RC350±10mm;B:420mm
- RC390±10mm;B:460mm



**G**  
steel bracket  
H:35mm



(Z:14mm)  
(WI-8216用曲付)

for 32T - 36T(16"- 20")

- WI - 8222B for RC290mm±10mm B:360mm
  - WI - 8222S for RC305mm±10mm B:375mm
  - WI - 8222F for RC320mm±10mm B:390mm
  - WI - 8222M for RC340mm±10mm B:410mm
  - WI - 8222L for RC360mm±10mm B:430mm
  - WI - 8222H for RC375mm±10mm B:445mm
  - WI - 8222J for RC400mm±10mm B:470mm
- two center rim sizes are available:C:(60mm,90mm)

for 28T(12"- 16")

- WI - 8223B for RC235mm±10mm B:305mm
  - WI - 8223S for RC250mm±10mm B:320mm
  - WI - 8223F for RC265mm±10mm B:335mm
  - WI - 8223M for RC285mm±10mm B:355mm
  - WI - 8223L for RC305mm±10mm B:375mm
  - WI - 8223H for RC320mm±10mm B:390mm
  - WI - 8223J for RC345mm±10mm B:415mm
- two center rim sizes are available:C:(60mm,90mm)

for 32T - 36T(16"- 20")


- WI - 8224B for RC320mm±10mm B:390mm
  - WI - 8224S for RC335mm±10mm B:405mm
  - WI - 8224F for RC350mm±10mm B:420mm
  - WI - 8224M for RC370mm±10mm B:440mm
  - WI - 8224L for RC390mm±10mm B:460mm
  - WI - 8224H for RC405mm±10mm B:475mm
  - WI - 8224J for RC430mm±10mm B:500mm
- two center rim sizes are available:C:(60mm,90mm)

for 28T - 38T(12"- 16")


- WI - 8216BA for RC320mm±10mm B:390mm
  - WI - 8216SA for RC335mm±10mm B:405mm
  - WI - 8216FA for RC350mm±10mm B:420mm
  - WI - 8216MA for RC370mm±10mm B:440mm
  - WI - 8216LA for RC390mm±10mm B:460mm
  - WI - 8216HA for RC405mm±10mm B:470mm
  - WI - 8216JA for RC430mm±10mm B:500mm
- two center rim sizes are available: C:(60mm,90mm)




WI - 8201 (12" 28T)  
C:90mm RC:260mm B:300mm



WI - 8212 (16" 32T)  
C:90mm RC:310mm B:350mm




WI - 5008A (26" 36T- 38T) RC:430mm  
WI - 5009A (700C" 36T-38T) RC:470mm



WI - 5008B (26" 36T- 38T) RC:430mm  
WI - 5009B (700C" 36T-38T) RC:470mm




WI - 5010 (12" 28T)  
C:40mm RC:240mm±10mm B:300mm



WI - 5012 (16" 32T)  
C:40mm RC:320mm±10mm B:360mm



WI - 8250W (12" 28T-30T) RC:280mm±10mm  
WI - 8251R (16" 28T-30T) RC:320mm±10mm



WI - 8255 (12" 28T- 30T)  
C:80mm RC:240mm B:310mm  
WI - 8256 (14" 28T-30T)  
C:80mm RC:270mm B:340mm  
WI - 8257 (16" 28T- 30T)  
C:80mm RC:305mm B:375mm  
WI - 8258 (18" 32T-33T)  
C:80mm RC:330mm B:400mm

# CHAIN GUARDS

Material:PP/ABS/PC

Customized color available

Front derailleur design  
MTB Bracket



(Z:26mm)

Customize



(Z:14mm)

Single speed bike  
bracket



(Z:14mm)



(Z:14mm)

For SHIMANO  
E5000/E6100



(Z:14mm)

NEW



WI - 8220 (32T-33T)

H:100mm Y:162mm C-C:400mm



WI - 8228 (32T-36T)

H:100mm Y:172mm C-C:420mm



WI - 8239 (36T-38T)

C-C:400mm



WI - 8252 (12" 26T-28T) H:90mm C-C:190mm

WI - 8253 (16" 26T-28T) H:90mm C-C:215mm

WI - 8254 (20" 36T) H:106mm C-C:270mm



WI - 8204 (12" 28T)

H:80mm Y:142mm C-C:235mm



WI - 8205 (16" 32T)

H:90mm Y:166mm C-C:290mm

WI - 8205B (16" 32T)

H:100mm Y:166mm C-C:290mm



two-tones design

WI - 8229 (32T-36T)

H:100mm Y:172mm C-C:420mm




WI - 8218A (36T-38T)

H:120mm Y:184mm C-C:400mm



WI - 8218B (36T-38T)

H:100mm Y:184mm C-C:400mm



Dimension can be adjustable


WI - 8236X-H(36T-38T)

H:120mm Y:190mm C-C:360mm~450mm



WI - 8238J (38T-44T)

C-C:390mm



FD design use

WI - 8225D (42T-44T)

H:158mm Y:210mm C-C:405mm



WI - 8227 (44T-46T)

H:130mm Y:210mm C-C:345mm



WI - 8219 (46T-48T)

H:165mm Y:220mm C-C:435mm



Dimension can be adjustable

WI - 8236XF-H(36T-38T)

WI - 8236XF-T(36T-38T)

H:65mm Y:180mm C-C:360mm~450mm



WI - 8221 (40T-42T)

H:100mm Y:192mm C-C:400mm



FD design use

WI - 8226D (44T-48T)

H:170mm Y:213mm C-C:405mm



WI - 8234K (20" 44T-46T)





WI - 8233 (46T-48T)

H:150mm Y:213mm C-C:420mm

# FREE STYLE

Material:PP/ABS/KR



- WI - 8207A (20" 40T- 44T) C-C:320mm
- WI - 8208A (16" 32T-36T) C-C:240mm
- WI - 8209A (24-26" 44T-48T) C-C:430mm
- WI - 8231A (28" 32T) C-C:450mm
- WI - 8232A (28" 42T) C-C:475mm-505mm
- WI - 8235A (20" 25T-28T) C-C:320mm
- WI - 8208A-370 (24" 32T-36T) C-C:370mm


- WI - 8207 (20" 40T- 44T) C-C:320mm
- WI - 8208 (16" 32T-36T) C-C:240mm
- WI - 8209 (24-26" 44T-48T) C-C:430mm
- WI - 8231 (28" 32T) C-C:430mm
- WI - 8232 (28" 42T) C-C:455mm-505mm
- WI - 8235 (20" 25T-28T) C-C:320mm
- WI - 8208Y-370 (24" 32T-36T) C-C:370mm



- WI - 8206 (20" 40T-44T) C-C:320mm
- WI - 8206B (20" 40T-44T) C-C:320mm



(15X30mm)



50-0v(H:24mm)  
圓周:147mm



27x62mm(H:18mm)  
圓周:147mm  
44x63mm(H:26mm)  
圓周:175mm



- WI - 32S (ID:32mm)
- WI - 38S (ID:38mm)
- WI - 42S (ID:42mm)
- WI - 44S (ID:44mm)
- WI - 46S (ID:46mm)
- WI - 48S (ID:48mm)
- WI - 50S (ID:50mm)
- WI - 60S (ID:60mm)



- ID:28.6mm(H:14mm)
- ID:32mm(H:25mm)
- ID:35mm(H:20mm)
- ID:38mm(H:20mm)
- ID:38Lmm(H:22mm)
- ID:42mm(H:18mm)
- ID:44mm(H:18mm)
- ID:46mm(H:20mm)
- ID:48Lmm(H:20mm)
- ID:48Smm(H:15mm)
- ID:50mm(H:20mm)
- ID:50Smm(H:12mm)
- ID:60Smm(H:13mm)

# REFLECTORS

Material:NYLON

## Bracket For Front & Rear



- WI - FK190 (Φ19mm)
- WI - FK222 (Φ22.2mm)
- WI - FK254 (Φ25.4mm)
- WI - FK272 (Φ27.2mm)
- WI - FK286 (Φ28.6mm)
- WI - FK309 (Φ30.9mm)
- WI - FK318 (Φ31.8mm)



- WI - RK190 (Φ19mm)
- WI - RK222 (Φ22.2mm)
- WI - RK254 (Φ25.4mm)
- WI - RK272 (Φ27.2mm)
- WI - RK286 (Φ28.6mm)
- WI - RK309 (Φ30.9mm)
- WI - RK318 (Φ31.8mm)



- WI - F190 (Φ19mm)
- WI - F222A (Φ22.2mm)
- WI - F254 (Φ25.4mm)
- WI - F272 (Φ27.2mm)
- WI - F286 (Φ28.6mm)
- WI - F309 (Φ30.9mm)
- WI - F318 (Φ31.8mm)
- WI - F350 (Φ35.0mm) **NEW**



- WI - R190 (Φ19mm)
- WI - R222A (Φ22.2mm)
- WI - R254 (Φ25.4mm)
- WI - R272 (Φ27.2mm)
- WI - R286 (Φ28.6mm)
- WI - R309 (Φ30.9mm)
- WI - R318 (Φ31.8mm)
- WI - R350 (Φ35.0mm) **NEW**
- WI - R222 (Φ22.2mm~25.4mm)



(assembled with spacer)



(assembled with spacer)



WI - 7104  
Bracket for front reflector



WI - 7105  
Bracket for front reflector



WI - F222B  
Steel



WI - 7138  
(28.6mm)



WI - 7127  
(31.8mm)



WI - 7128  
(34.8mm)

## Chain-Fall Protector

# Battery Case

For Electric Bikes  
Material:PC/ABS  
Rose/Reach/UL94




WI - 2100


Can cooperate open new mold

Customized design available

## Holder A&B



Cooper Nut



防水達IP55  
符合EN50604-1法規  
Waterproof IP55  
Compliant with EN5064-1 regulations

Specification	375X121X67
WI-2100H-A	6pcs in the box X 13hole
WI-2100H-B	2pcs in the box X 8hole

# WATER BOTTLE

Material:PP/PE/KR



# PLASTIC WATER BOTTLE CAGE

Material:PC



# HEADSET CAP


Material:PP



# SPOKE PROTECTORS

Material:ABS/PC

Popular



**WI - 7103A**  
I.D.:54mm O.D.:136mm  
size:5½"  
(3 hooks,36H,24T-30T)



**WI - 7137**  
I.D.:54mm O.D.:165mm  
size:6½"  
(3 hooks,36H,30T-36T)



**WI - 7149**  
I.D.:80mm O.D.:163mm  
size:6½"(4 hooks,28H,30T-36T)

**WI - 7149-100I**  
I.D.:100mm O.D.:163mm  
size:6½"(4 hooks,28H,30T-36T)

**WI - 7149-185**  
I.D.:100mm O.D.:185mm  
size:7½"(4 hooks,28H,40T-42T)

**WI - 7149-215**  
I.D.:100mm O.D.:215mm  
size:8½"(4 hooks,28H,42T-50T)

**WI - 7149-215-A** NEW  
I.D.:175mm O.D.:215mm  
size:8½"(4 hooks,28H,42T-50T)

**WI - 7149-235** NEW  
I.D.:175mm O.D.:235mm  
size:8½"(4 hooks,28H,52T)



**WI - 7130**  
I.D.:120mm O.D.:160mm  
size:6½"(4 hooks,32H,32T-38T)

**WI - 7130-185**  
I.D.:120mm O.D.:185mm  
size:7½"(4 hooks,32H,40T-42T)

**WI - 7130-215**  
I.D.:120mm O.D.:215mm  
size:8½"(4 hooks,32H,42T-50T)

**WI - 7130B**  
I.D.:100mm O.D.:160mm  
size:6½"(4 hooks,32H,30T-36T)

**WI - 7130B-130**  
I.D.:80mm O.D.:130mm  
size:5"(4 hooks,32H,26T-28T)



**WI - 7205-150**  
**WI - 7205-160**  
I.D.:100mm O.D.:150/160mm  
size:6"(4 hooks,32H,30T-34T)

NEW **WI - 7209-215**  
I.D.:175mm O.D.:215mm  
size:8½"(4 hooks,32H,42T-50T)

NEW **WI - 7209-235**  
I.D.:175mm O.D.:235mm  
size:8½"(4 hooks,32H,52T)



**WI - 7124**  
I.D.:58mm O.D.:110mm  
size:4½"  
(3 hooks,36H,21T-24T)



**WI - 7126**  
I.D.:70mm O.D.:160mm  
size:6½"  
(3 hooks,36H,30T-36T)



**WI - 7129**  
I.D.:65mm O.D.:155mm  
size:6"  
(3 hooks,36H,30T-34T)



**WI - 7125**  
I.D.:54mm O.D.:115mm  
size:4½"  
(4 hooks,32H,21T-28T)



**WI - 7171**  
I.D.:67mm O.D.:155mm  
size:6"  
(4 hooks,32H,30T-34T)



**WI - 7148**  
I.D.:54mm O.D.:137mm  
size:5½"  
(4 hooks,32H,26T-30T)



**WI - 7111A**  
I.D.:70mm O.D.:160mm  
size:6½"  
(4 hooks,32H,30T-34T)



**WI - 7201**  
I.D.:69mm O.D.:155mm  
**WI - 7202**  
I.D.:64mm O.D.:155mm  
size:6"  
(4 hooks,32H,30T-34T)



**WI - 7200**  
I.D.:110mm O.D.:160mm  
size:6"(4 hooks,32H,30T-34T)

**WI - 7200-185**  
I.D.:110mm O.D.:185mm  
size:7½"(4 hooks,32H,40T-42T)



**WI - 7208**  
I.D.:80mm O.D.:150mm  
size:6"(3 hooks,24H/36H,30T-36T)

**WI - 7208-130**  
I.D.:80mm O.D.:130mm  
size:6"(3 hooks,24H/36H,26T-28T)



**WI - 7164**  
I.D.:80mm O.D.:160mm  
size:6½"  
(3 hooks,24H/36H,30T-36T)

**WI - 7164-215** NEW  
I.D.:100mm O.D.:215mm  
size:8½"  
(3 hooks,24H/36H,42T-50T)



**WI - 7152**  
I.D.:110mm O.D.:160mm  
size:6½"(3 hooks,36H,30T-36T)

**WI - 7152-185**  
I.D.:110mm O.D.:185mm  
size:7½"(3 hooks,36H,40T-42T)

**WI - 7152-215** NEW  
I.D.:110mm O.D.:215mm  
size:8½"(3 hooks,36H,42T-50T)



**WI - 7206**  
I.D.:54mm O.D.:155mm  
size:6"  
(4 hooks,32H,30T-34T)

**WI - 7122-165**  
I.D.:54mm O.D.:165mm  
size:6½"(4 hooks,32H,30T-34T)



**WI - 7101A**  
I.D.:37mm O.D.:163mm  
size:6½"(30T-34T)

**WI - 7102A**  
I.D.:38mm O.D.:137mm  
size:5½"(24T-30T)



**WI - 7113**  
O.D.:150mm(30T-34T)  
size:6" 厚 1.2mm  
**WI - 7113-155**  
O.D.:155mm(30T-34T)  
size:6" 厚 1.2mm



**WI - 7121**  
O.D.:130mm(24T-30T)  
size:5" 厚 0.9mm  
(assembled onto hub flange)



**WI - 7156**  
I.D.:110mm O.D.:150mm  
size:6"  
(3 hooks,36H,30T-34T)



**WI - 7203**  
I.D.:73mm O.D.:155mm  
size:6"(CP-WH23)  
(5 hooks,20H,30T-34T)




**WI - 7207H**  
I.D.:78mm O.D.:155mm  
size:6"(CP-WH23)  
(5 hooks,20H,30T-34T)


# PROTECTOR

Material:PP/NYLON/POM


Various Style




WI - 9130




WI - 9112 (for QR Fork)




WI - 9131




WI - SR-XCR  
(For SR/XCR Fork)



WI - 9139




WI - 9133 WI - 9133-15




WI - 9150 (Fork)


AA-143 (L:12 R:12)  
AB-143 (L:12 R:11)  
AC-143 (L:12 R:15)  
A(135/143/147/151mm) W(7mm~20mm)




WI - 9145 (For Round Fork)




SUSPENSION  
WI - 9156-8 (A:8mm) WI - 9156-10 (A:10mm)




WI - 9156A-08




WI - 9151




WI - 9137  
(15mm)




WI - 9153  
(19mm)




WI - 9132-2A




WI - 9132-4A




WI - 9136  
WI - 9136S




WI - 9138




WI - 9140 (A:44mm)  
WI - 9148 (A:54mm)



WI - 9141




WI - 9143




WI - 9165




WI - 9146-222  
(A:22mm B:25mm)  
WI - 9146-254  
(A:25mm B:28mm)



WI - 9152



WI - 9157-138 (A:138mm)  
WI - 9157-70 (A:70mm)




WI - 9159-15 (A:15mm)  
WI - 9159-20 (A:20mm)


# PROTECTOR

Material:PP/NYLON


Many Choices




WI - 9161-56K




WI - 9161-74K




WI - 9162




WI - 9166 (煞車孔套)




WI - 9134





WI - 9134-15




WI - 9134-20




WI - 9135



WI - 9135-54



WI - 9164-12



WI - 9164-15

## Combination



WI - 7158-5 (5mm)



WI - 7158A-5 (5.5mm)



WI - 7163 (4mm)



WI - 7158A-4 (4.8mm)



WI - 7191-5  
WI - 7191-6



WI - 9167



WI - 7189N-1.5 (NEW)  
Ø3mm L:18mm



WI - 7194 (NEW)  
L:10mm



WI - 9126 (I.D.:4.5mm O.D.:8mm) H:1.2mm



土除螺絲華司 (I.D.:9.5mm O.D.:14mm) H:5.1mm



本色華司 (I.D.:4.9mm O.D.:10mm) H:3mm



WI - 62134048 (NEW)



WI - 96K-254 (NEW)



WI - 7166-5.8 (NEW)  
Ø5.8mm



WI - W47E-PI (NEW)  
L:32mm W:32mm H:9mm

# BRAKE CABLE

Material:PP/NYLON



WI - 191  
Ø7.5mm



WI - 192  
Ø4mm



WI - 194  
L:17mm



WI - 195  
Ø4mm



WI - 196  
Ø8.5mm



WI - 7141  
Ø9.5mm



WI - 7144-4  
4mm  
WI - 7144-5  
5mm



WI - CC1154F (NEW)  
Ø4.2mm L:18.8mm



WI - 1K-254 (NEW)  
Ø24mm L:92mm



WI - 7180  
L:83mm



WI - 7165-38L (NEW)



WI - 38L-29A (NEW)  
L:27mm W:13mm H:10mm




WI - 7165-2.4 (NEW)  
WI - 7165-2.8  
WI - 7165-4.4  
WI - 7165-4.8

# PAINT PROTECTOR

Material: Silicon/EPDM

Superior



B.B



- WI - 9158-34A A:45 B:35 C:20
- WI - 9158-36A A:45 B:37 C:19
- WI - 9158-43A A:50 B:44 C:15
- WI - 9158-50A A:59 B:51 C:11
- WI - 9158-52A A:59 B:53 C:10
- WI - 9158-56A A:62 B:56 C:17

H.T




- WI - 9158-34 A:45 B:35 C:20
- WI - 9158-36 A:45 B:37 C:19
- WI - 9158-43 A:50 B:44 C:15
- WI - 9158-46 A:55 B:46 C:13
- WI - 9158-50 A:59 B:51 C:11
- WI - 9158-56 A:62 B:56 C:17
- WI - 9158-35 A:47 B:35 C:18 D:41
- WI - 9158-34-1K A:37.5 B:33.5 C:11
- WI - 9158-34-1KL A:44 B:33 C:12
- WI - 9158-48-47L A:50 B:36 C:12 D:42
- WI - 9158-60-47L A:61 B:45 C:17 D:52


S.T




- WI - 9158-254 (22.2-25.4mm)
- WI - 9158-272 (27.2-28.6mm)
- WI - 9158-318 (30.9-31.8mm)




WI - 9160-3.5



WI - 9160-3.5X30



WI - 3X7.2X30




Hole




WI - 9160B (4~9mm)

(水壺架孔)



WI - 9160-5



- WI - 9155-6.5 (A:6.5mm)
- WI - 9155-8 (A:8mm)
- WI - 9155-9 (A:9mm)



WI - 92K-F




WI - 9155-1K01




WI - 9155-1K02



WI - 9155-1K04




WI - 9160-A



WI - 9160-6035



WI - 9160-6009



WI - 9160-5



WI - 9155-1K05



WI - 9155-1K06



WI - 47L-01



WI - 47L-02



WI - 47L-03




WI - 47L-04




WI - 47L-05




WI - VZ-1




- WI - 9155-21 (A:21mm)
- WI - 9155-24 (A:24mm)
- WI - 9155-29 (A:29mm)




WI - 9155A



WI - EAT-012




WI - EAT-108



WI - F3523




WI - 38L-13+




WI - 92K-B




WI - 9160-1127




WI - 9160-8522




WI - 9160-8522S




WI - 9160-4216




WI - 9160-4216N




WI - 9160-8516



WI - 9160-8516N




WI - 9155-96K03




- WI - 9160-6016 A:6.5mm B:16mm
- WI - 9160-1432 A:15mm B:32mm
- WI - 9160-1932 A:20mm B:32mm



WI - 71K-1



WI - 37X11-1K



WI - 3514-1K

# CHAIN STAY PROTECTOR

Material:KRATON/TPR

WI - 9124A	A:205mm B:20mm
WI - 9124B	A:208mm B:26mm
WI - 9124C	A:210mm B:22mm
WI - 9124D	A:235mm B:26mm
WI - 9124E	A:168mm B:21mm
WI - 9124F	A:260mm B:20mm



# PLASTIC SPACER

Material:PC/NYLON



WI - 9168-5 (W:5mm)	WI - 9163-5 (W:5mm)	WI - 9163-5P	WI - 9163-5X	WI - 9163-5W
WI - 9168-10 (W:10mm)	WI - 9163-10 (W:10mm)	WI - 9163-10P (PRINT)	WI - 9163-10X (CARBON LOOK)	WI - 9163-10W (SB BLACK)
I.D.:25.5mm O.D.:30mm	I.D.:29mm O.D.:35mm			

## Other



WI - 7188  
Material:NYLON



WI - RS7-44  
L:59mm  
Material:NYLON



### POST COVERS

WI - 7112	(Size:23mmX50-180mm)
WI - 7114	(Size:28.6mmX50-140mm)
WI - 7115	(Size:27.6mmX50-140mm)
WI - 7116	(Size:26mmX50-180mm)
WI - 7117	(Size:38mmX40-120mm)



WI - 9101  
Material:PP



WI - 9110E (12"spi)  
WI - 9111E (16"spi)  
W:115mm



WI - 9114E (12")  
WI - 9115E (16")



WI - 9110BX (12")  
WI - 9111BX (16")



墊片

A:	厚2.0 長60 寬15mm
B:	厚2.0 長75 寬15mm
C:	厚3.4 長90 寬17mm(唇邊)
D:	厚1.5 長90 寬13mm
E:	厚2.0 長106 寬15mm
F:	厚1.5 長120 寬14mm
G:	厚1.0 長120 寬14mm(唇邊)
H:	厚2.0 長30 寬15mm
I:	厚3.4 長50 寬16mm(唇邊)
J:	厚1.0 長60 寬22mm
K:	厚3.4 長70 寬17mm(唇邊)
M:	厚3.4 長60 寬12.5mm
P:	厚1.0 長70 寬14mm

