WINNING

2022 ▶ 2023

GRIP

Lock Grip

EN71,ROHS,PROP65,CPSIA,REACH CERTIFIED,ISO4210

NEW

WI - 1176LCAK
size 135mm
(雙通附K塞)

NEW

WI - 1172LC
size 130mm

NEW

WI - 1172MC
size 100mm

NEW

WI - 1174LCM
size 130mm

WI - 1162LCM(雙通附M塞)
size 130mm

NEW

WI - 1173LCM size 130mm
WI - 1173NCM size 100mm
WI - 1173SCM size 80mm

NEW



WI - 1171LCM size 130mm
WI - 1171MCM size 120mm
WI - 1171NCM size 100mm
WI - 1171SCM size 80mm
WI - 1171SSCM size 60mm

NEW

WI - 1162L size 130mm
WI - 1162LB size 130mm
WI - 1162SB size 70mm

NEW

WI - 1175L
size 120mm

NEW

WI - 1151L
size 130mm

NEW

WI - 1110
size 105mm

NEW

WI - 1109
size 105mm

NEW

WI - 1163L/S
size L120/S70mm

Material:Kraton/Gel

WI - DG80 size 80mm
WI - DG81 size 125mm

WI - 1147S
size 100mm

WI - 1142L/S
size L120mm/S95mm

WI - 1164B
size 135mm&92mm&72mm

WI - 1164C
size 135mm&92mm&72mm

WI - 1111
size L130mm/S75mm

WI - 1118
size 135mm

WI - 1112C
size 125mm&100mm&92mm
75mm&60mm

WI - 1112H
size 125mm&100mm&92mm
75mm&60mm



WI - 1155C
size 120mm&95mm

WI - 1104M/S
size M100mm/S85mm
With logo(optional)

WI - 1167L/S
size L135mm/S95mm

L
R

WI - 1152LB/SB
size LB125mm/SB95mm
With logo(optional)

L
R



WI - 1152L/S
size L125mm/S95mm
With logo(optional)

WI - 1167LB/SB
size LB135mm/SB95mm

GRIP

Material:Kraton/Gel

WI - 1159SB
size 95mm

WI - 1159LB
size 128mm

WI - 1112
size 125mm

WI - 1159S
size 95mm

WI - 1159L
size 128mm

WI - 1155
size L120mm/M95mm/S75mm

WI - 1160SB
size 95mm

WI - 1160LB
size 135mm

WI - 1102L/S
size L120mm/S75mm

WI - 1165SB
size 95mm

WI - 1165LB
size 135mm

WI - 1148
size L120mm/S100mm/B85mm



WI - K130 size 130mm
WI - K100 size 100mm
WI - K86 size 86mm
WI - K60 size 60mm

WI - S75 size 75mm
WI - S102 size 102mm
WI - S120 size 120mm



Special design for Revo shifter



WI - 1170
size 60/75/90/105/120/135mm

Soft grips with tough feature

WI - 1166SSB size 65mm
WI - 1166SB size 92mm

WI - 1166MB size 102mm
WI - 1166LB size 122mm

100%Silicone

WI - 1120
size 125mm

WI - 1166SS size 65mm
WI - 1166S size 92mm

WI - 1166M size 102mm
WI - 1166L size 122mm

100%Silicone



WI - 1117
size 130mm



WI - 1116LB
size 130mm



WI - 1116L
size 130mm

WI - 1149
size 120mm

WI - 1139SB
size 92mm

WI - 1139MB
size 102mm

WI - 1139LB
size 122mm

WI - 1138
size 125mm

WI - 1139S
size 92mm

WI - 1139M
size 102mm

WI - 1139L
size 122mm

WI - 1137
size 85mm

GRIP

Material:Kraton/Gel



WI - 1108LB
size 122mm



WI - 1108L
size 122mm

WI - 1153
size 130mm

WI - 1114LB
size 130mm

WI - 1114L
size 130mm



WI - 1119
size 105mm



WI - 1168SB
size 102mm

WI - 1168LB
size 130mm



WI - 1154
size 115mm(16”/20”)

WI - 1169LB
size 130mm

WI - 1169L
size 130mm



WI - 1146
size 105mm(12”/16”)

WI - 1168S
size 102mm

WI - 1168L
size 130mm



WI - 1113
size 102mm

RIM TAPE

HOT

EN71,ROHS,PROR65,CPSIA,REACH CERTIFIED

Materal : Nylon/PVC
Thick : 0.45mm-0.5mm
Wide : 12-XXmm
Rim : 12”-29”
Valve : AV 9mm ; FV 6mm
Item number WI-Rim*Wide

EX
Rim : 700C
Wide : 16mm
Valve : AV
Item number : WI-700C*16-AV

Materal : PVC
Thick : 0.6mm-0.7mm
Wide : 12-XXmm
Rim : 12”-29”
Valve : AV 9mm ; FV 6mm
Item number WI-Rim*Wide

EX
Rim : 700C
Wide : 16mm
Valve : AV-P
Item number : WI-700C*16-AV-P

PLUGS

Material:PP/TPR

NEW

WI - 7106K
A:26mm B:20mm

WI - 7106B	A:24mm B:18.5mm
WI - 7106E	A:24mm B:21.5mm
WI - 7106F	A:26mm B:18.5mm
WI - 7106H	A:24mm B:24mm
WI - 7106I	A:20mm B:18.5mm
WI - 7106J	A:20mm B:21.5mm
WI - 7106L	A:26mm B:21.5mm
WI - 7106M	A:31mm B:21mm
WI - 7106N	A:30mm B:21.5mm

CP
WI - 7109C
A:25mm B:20mm

Carbon Look
WI - 7106D
A:25mm B:20mm

WI - 7106Z A:28mm B:18.5mm
WI - 7106G A:28mm B:16.5mm



WI - 1170H
A:28mm B:16mm

FULL CHAIN GUARDS

Material:PP/ABS





Customized color available



E Bracket
steel bracket
H:35mm



inner cover with E Bracket

WI - 5002 (12”28T)	RC240±10mm;B:305mm
WI - 5003 (16”28T)	RC315±10mm;B:385mm
WI - 5005 (18”33T)	RC330±10mm;B:400mm
WI - 5006 (20”33T)	RC350±10mm;B:420mm
WI - 5007 (22”33T)	RC390±10mm;B:460mm



G

steel bracket
H:35mm

A

(Z:14mm)
(WI-8216用曲付)

for 32T - 36T(16”- 20”)

WI - 8222B	for RC290mm±10mm B:360mm
WI - 8222S	for RC305mm±10mm B:375mm
WI - 8222F	for RC320mm±10mm B:390mm
WI - 8222M	for RC340mm±10mm B:410mm
WI - 8222L	for RC360mm±10mm B:430mm
WI - 8222H	for RC375mm±10mm B:445mm
WI - 8222J	for RC400mm±10mm B:470mm

two center rim sizes are available:C:(60mm,90mm)

for 28T(12”- 16”)

WI - 8223B	for RC235mm±10mm B:305mm
WI - 8223S	for RC250mm±10mm B:320mm
WI - 8223F	for RC265mm±10mm B:335mm
WI - 8223M	for RC285mm±10mm B:355mm
WI - 8223L	for RC305mm±10mm B:375mm
WI - 8223H	for RC320mm±10mm B:390mm
WI - 8223J	for RC345mm±10mm B:415mm

two center rim sizes are available:C:(60mm,90mm)

for 32T - 36T(16”- 20”)

WI - 8224B	for RC320mm±10mm B:390mm
WI - 8224S	for RC335mm±10mm B:405mm
WI - 8224F	for RC350mm±10mm B:420mm
WI - 8224M	for RC370mm±10mm B:440mm
WI - 8224L	for RC390mm±10mm B:460mm
WI - 8224H	for RC405mm±10mm B:475mm
WI - 8224J	for RC430mm±10mm B:500mm

two center rim sizes are available:C:(60mm,90mm)

for 28T - 38T(12”- 16”)

WI - 8216BA	for RC320mm±10mm B:390mm
WI - 8216SA	for RC335mm±10mm B:405mm
WI - 8216FA	for RC350mm±10mm B:420mm
WI - 8216MA	for RC370mm±10mm B:440mm
WI - 8216LA	for RC390mm±10mm B:460mm
WI - 8216HA	for RC405mm±10mm B:470mm
WI - 8216JA	for RC430mm± 10mm B:500mm

two center rim sizes are available: C:(60mm,90mm)

Various sizes for all bike and crank



WI - 8201 (12” 28T)
C:90mm RC:260mm B:300mm

WI - 8212 (16” 32T)
C:90mm RC:310mm B:350mm

NEW

WI - 5008A (26” 36T- 38T) RC:430mm
WI - 5009A (700C” 36T-38T) RC:470mm

NEW



WI - 5008B (26” 36T- 38T) RC:430mm
WI - 5009B (700C” 36T-38T) RC:470mm



WI - 5010 (12” 28T)
C:40mm RC:240mm±10mm B:300mm



WI - 5012 (16” 32T)
C:40mm RC:320mm±10mm B:360mm

NEW

WI - 8250W (12” 28T-30T) RC:280mm±10mm
WI - 8251R (16” 28T-30T) RC:320mm±10mm

NEW

WI - 8255 (12” 28T- 30T)
C:80mm RC:240mm B:310mm

WI - 8256 (14” 28T-30T)
C:80mm RC:270mm B:340mm

WI - 8257 (16” 28T- 30T)
C:80mm RC:305mm B:375mm

WI - 8258 (18” 32T-33T)
C:80mm RC:330mm B:400mm

CHAIN GUARDS

Material:PP/ABS/PC

Front derailleur design
MTB Bracket

(Z:26mm)

Customize

(Z:14mm)
For SHIMANO
E5000/6000

Single speed bike
bracket

(Z:14mm)

(Z:14mm)

NEW

(Z:14mm)

WI - 8252 (12” 26T-28T) H:90mm C-C:190mm
WI - 8253 (16” 26T-28T) H:90mm C-C:215mm
WI - 8254 (20” 36T) H:106mm C-C:270mm

WI - 8204 (12” 28T)
H:80mm Y:142mm C-C:235mm

WI - 8205 (16” 32T)
H:90mm Y:166mm C-C:290mm
WI - 8205B (16” 32T)
H:100mm Y:166mm C-C:290mm

WI - 8220 (32T-33T)
H:100mm Y:162mm C-C:400mm

two-tones design
WI - 8229 (32T-36T)
H:100mm Y:172mm C-C:420mm

WI - 8228 (32T-36T)
H:100mm Y:172mm C-C:420mm



WI - 8218A (36T-38T)
H:120mm Y:184mm C-C:400mm

NEW

WI - 8239 (36T-38T)
C-C:400mm

WI - 8218B (36T-38T)
H:100mm Y:184mm C-C:400mm

Customized color available



WI - 8236X-H(36T-38T)
H:120mm Y:190mm C-C:360mm~450mm

WI - 8236XF-H(36T-38T)
WI - 8236XF-T(36T-38T)
H:65mm Y:180mm C-C:360mm~450mm



WI - 8238J (38T-44T)
C-C:390mm

WI - 8221 (40T-42T)
H:100mm Y:192mm C-C:400mm

WI - 8225D (42T-44T)
H:158mm Y:210mm C-C:405mm

WI - 8226D (44T-48T)
H:170mm Y:213mm C-C:405mm



WI - 8227 (44T-46T)
H:130mm Y:210mm C-C:345mm

WI - 8234K (20” 44T-46T)

WI - 8219 (46T-48T)
H:165mm Y:220mm C-C:435mm

WI - 8233 (46T-48T)
H:150mm Y:213mm C-C:420mm

FREE STYLE

Material:PP/ABS





WI - 8207A (20” 40T- 44T) C-C:320mm
WI - 8208A (16” 32T-36T) C-C:240mm
WI - 8209A (24-26” 44T-48T) C-C:430mm
WI - 8231A (28” 32T) C-C:450mm
WI - 8232A (28” 42T) C-C:475mm-505mm
WI - 8235A (20” 25T-28T) C-C:320mm
WI - 8208A-370 (24” 32T-36T) C-C:370mm

WI - 8207 (20” 40T- 44T) C-C:320mm
WI - 8208 (16” 32T-36T) C-C:240mm
WI - 8209 (24-26” 44T-48T) C-C:430mm
WI - 8231 (28” 32T) C-C:430mm
WI - 8232 (28” 42T) C-C:455mm-505mm
WI - 8235 (20” 25T-28T) C-C:320mm
WI - 8208Y-370 (24” 32T-36T) C-C:370mm

WI - 8206 (20” 40T-44T) C-C:320mm
WI - 8206B (20” 40T-44T) C-C:320mm

3516
mmx16mm
D:35mm
5019
mmx19mm
D:50mm
4524
mmx24mm
D:45mm

16S
19S
22S
24S

(15X30mm)



50-0v(H:24mm)
圓周:147mm



27x62mm(H:18mm)
圓周:147mm
44x63mm(H:26mm)
圓周:175mm

WI - 32S (ID:32mm)
WI - 38S (ID:38mm)
WI - 42S (ID:42mm)
WI - 44S (ID:44mm)
WI - 46S (ID:46mm)
WI - 48S (ID:48mm)
WI - 50S (ID:50mm)
WI - 60S (ID:60mm)

ID:28.6mm(H:14mm)
ID:32mm(H:25mm)
ID:35mm(H:20mm)
ID:38mm(H:20mm)
ID:38Lmm(H:22mm)
ID:42mm(H:18mm)
ID:44mm(H:18mm)
ID:46mm(H:20mm)
ID:48Lmm(H:20mm)
ID:48Smm(H:15mm)
ID:50mm(H:20mm)
ID:50Smm(H:12mm)
ID:60Smm(H:13mm)

DRESS GUARD

Material:PP

SIZE:24”-28”

WI - 9117



WI - 9116R
Size : 24”-28” (240x290x70mm)
Customized size available



WI - 9117
Size : 24”-28” (350x400x80mm)
Customized size available

WI - 9119R



WI - 9119F
Size : 24”-28” (650mm)
Customized size available



WI - 9119R
Size : 24”-28” (400x235x80mm)
Customized size available



WI - 9125-AA
(Matt+golden lines)

WI - 9125-CA
(Glossy)



WI - 9108
WI - 9108A(附白鐵掛勾)



WI - 9118

WATER BOTTLE

Material:PP/PE/KR

NEW

WI - 4110
Capacity:550ml
(w/C Cap,Screw Cap)

NEW

WI - 4111
Capacity:700ml
(w/C Cap,Screw Cap)

NEW

WI - 4112
Capacity:700ml
(w/C Cap,Screw Cap)

WI - 4103
Capacity:650ml
(w/C Cap,Screw Cap)

WI - 4105C
Capacity:750ml

WI - 4105CB
Capacity:750ml

WI - 4109C
Capacity:700ml

WI - 4106
Capacity:700ml

WI - 4106A
Capacity:700ml
(Window type)

WI - 4106B
Capacity:700ml
(With Nozzle Cover)

WI - 4108
Capacity:250ml

WI - 4104
Capacity:550ml

WI - 4107
Capacity:750ml

C Cap

PAT
22mm



D Cap
Spray Cap

20mm

Screw Cap
W/4106,4111

PLASTIC WATER BOTTLE CAGE

Material:PC

WI - 4134



WI - 4135A (22.2-25.4mm)
WI - 4135B (27.2-31.8mm)

WI - 4132

WI - 4132B
two color

WI - 4133

WI - 4133E

HEADSET CAP

Material:PP

WI - 9106
Top:26mm
Bottom:38mm

24.5mm

WI - 9107
Top:22.2mm
Bottom:34mm

Basket bracket



WI - 9106C

WI - 9107C

16mm

WI - 9107C-16

SPOKE PROTECTORS

Material:ABS/PC



WI - 7103A
I.D.:54mm O.D.:136mm
size:5½”
(3 hooks,36H,24T-30T)



WI - 7137
I.D.:54mm O.D.:165mm
size:6½”
(3 hooks,36H,30T-36T)

WI - 7124
I.D.:58mm O.D.:110mm
size:4½”
(3 hooks,36H,21T-24T)

WI - 7126
I.D.:70mm O.D.:160mm
size:6½”
(3 hooks,36H,30T-36T)



WI - 7129
I.D.:65mm O.D.:155mm
size:6”
(3 hooks,36H,30T-34T)

WI - 7125
I.D.:54mm O.D.:115mm
size:4½”
(4 hooks,32H,21T-28T)

WI - 7171
I.D.:67mm O.D.:155mm
size:6”
(4 hooks,32H,30T-34T)



WI - 7148
I.D.:54mm O.D.:137mm
size:5½”
(4 hooks,32H,26T-30T)

WI - 7111A
I.D.:70mm O.D.:160mm
size:6½”
(4 hooks,32H,30T-34T)

WI - 7201
I.D.:69mm O.D.:155mm

WI - 7202
I.D.:64mm O.D.:155mm
size:6”
(4 hooks,32H,30T-34T)



WI - 7206
I.D.:54mm O.D.:155mm
size:6”
(4 hooks,32H,30T-34T)

WI - 7122-165
I.D.:54mm O.D.:165mm
size:6 ½”(4 hooks,32H,30T-34T)

WI - 7101A
I.D.:37mm O.D.:163mm
size:6½”(30T-34T)

WI - 7102A
I.D.:38mm O.D.:137mm
size:5½”(24T-30T)

WI - 7113
O.D.:150mm(30T-34T)
size:6” 厚 1.2mm

WI - 7113-155
O.D.:155mm(30T-34T)
size:6” 厚 1.2mm

WI - 7121
O.D.:130mm(24T-30T)
size:5” 厚 0.9mm
(assembled ontohub flange)

WI - 7149
I.D.:80mm O.D.:163mm
size:6$\frac{1}{2}$"(4 hooks,28H,30T-36T)

WI - 7149-100I
I.D.:100mm O.D.:163mm
size:6$\frac{1}{2}$"(4 hooks,28H,30T-36T)

WI - 7149-185
I.D.:100mm O.D.:185mm
size:7$\frac{1}{2}$"(4 hooks,28H,40T-42T)

WI - 7149-215
I.D.:100mm O.D.:215mm
size:8$\frac{1}{2}$"(4 hooks,28H,42T-50T)

WI - 7149-215-A NEW
I.D.:175mm O.D.:215mm
size:8$\frac{1}{2}$"(4 hooks,28H,42T-50T)

WI - 7149-235 NEW
I.D.:100mm O.D.:235mm
size:8$\frac{1}{2}$"(4 hooks,28H,42T-50T)

WI - 7130
I.D.:120mm O.D.:160mm
size:6$\frac{1}{2}$"(4 hooks,32H,32T-38T)

WI - 7130-185
I.D.:120mm O.D.:185mm
size:7$\frac{1}{2}$"(4 hooks,32H,40T-42T)

WI - 7130-215
I.D.:120mm O.D.:215mm
size:8$\frac{1}{2}$"(4 hooks,32H,42T-50T)

WI - 7130B
I.D.:100mm O.D.:160mm
size:6$\frac{1}{2}$"(4 hooks,32H,30T-36T)

WI - 7130B-130
I.D.:80mm O.D.:130mm
size:5"(4 hooks,32H,26T-28T)

WI - 7205-150
WI - 7205-160
I.D.:100mm O.D.:150/160mm
size:6"(4 hooks,32H,30T-34T)

NEW **WI - 7209-215**
I.D.:175mm O.D.:215mm
size:8$\frac{1}{2}$"(4 hooks,32H,42T-50T)

NEW **WI - 7209-235**
I.D.:175mm O.D.:235mm
size:8$\frac{1}{2}$"(4 hooks,32H,52T)

WI - 7200
I.D.:110mm O.D.:160mm
size:6"(4 hooks,32H,30T-34T)

WI - 7200-185
I.D.:110mm O.D.:185mm
size:7$\frac{1}{2}$"(4 hooks,32H,40T-42T)

WI - 7208
I.D.:80mm O.D.:150mm
(3 hooks,24H/36H,30T-36T)

WI - 7208-130
I.D.:80mm O.D.:130mm
(3 hooks,24H/36H,26T-28T)

WI - 7164
I.D.:80mm O.D.:160mm
size:6$\frac{1}{2}$"
(3 hooks,24H/36H,30T-36T)

WI - 7164-215 NEW
I.D.:100mm O.D.:215mm
size:8$\frac{1}{2}$"
(3 hooks,24H/36H,42T-50T)

WI - 7152
I.D.:110mm O.D.:160mm
size:6$\frac{1}{2}$"(3 hooks,36H,30T-36T)

WI - 7152-185
I.D.:110mm O.D.:185mm
size:7$\frac{1}{2}$"(3 hooks,36H,40T-42T)

WI - 7152-215 NEW
I.D.:110mm O.D.:215mm
size:8$\frac{1}{2}$"(3 hooks,36H,42T-50T)

WI - 7156
I.D.:110mm O.D.:150mm
size:6"
(3 hooks,36H,30T-34T)

WI - 7203
I.D.:73mm O.D.:155mm
size:6"(CP-WH23)
(5 hooks,20H,30T-34T)

WI - 7207H
I.D.:78mm O.D.:155mm
size:6"(CP-WH23)
(5 hooks,20H,30T-34T)

MUDGUARDS

Material:PP/ABS/PC

NEW



WI - 6120F/R
(700C)



WI - 6115F/R
(12”-14”)



WI - 6116F/R
(16”-18”)



WI - 6117F/R
(20”-22”)



WI - 6118F/R
(24”)



WI - 6119F/R
(26”-27.5”~29”)

NEW

WI - 6134F/R-60 (20”)
WI - 6135F/R-60 (24”)
R1060mm F625mm

WI - 611XF/R
(C-Clamp)

26”



WI - 6111F10/R6

WI - 6111F13/R

WI - 6101R/F

Customized design available

R:430mm FL:300mm FS:235mm

WI - 6102R6/F

WI - 6103R2/F2

WI - 6100R2/F2

WI - 6102R7



WI - 6110F10/R10
Easily assembled,
2 joints to adjust with different angles.
Available for 24”-26”tyres,
two different colors to fit your bikes

WI - 6102RA

WI - 6101R5
Assembled on
seatstay’s carrier
stoppers



Assembled on rear brake pivot
WI - 6102R9

16-20”

WI - 6111FS/RS6
(16-20”)

WI - 6111S10/RS6
(16-20”)



WI - 6105R3/F2 (20”)



WI - 6104R/F (20”)

MUDGUARDS

Material:PP/ABS/PC

R:430mm FL:300mm FS:235mm

16”



WI - 6106F/R

WI - 6107F3/R3

12”

WI - 6108F/R

WI - 6109F3/R3

motor cover

WI - 8202
Steel Bracket
Material : PP
Size : 12”

WI - 8213
Steel Bracket
Material : PP
Size : 12”

WI - 8217
Steel Bracket
Material : PP
Size : 16”

WI - 8203
Material : PP
Size : 20”

WI - 8211
Material : PP
Size : 18”

mudflap

WI - 9109L (A:60mm)
Rubber Mudflap

WI - 9109S (A:50mm)
Rubber Mini Mudflap

CABLE GUIDES

Material:PP/NYLON

WI - 7110L
(28.6R) Φ57.5mm

WI - 7110S
(20.6R) Φ40mm

WI - 7120
(23.8R) Φ40-57mm

WI - 7120L
(23.8R)

WI - 7123
(19R) Φ57.5mm

WI - 7123S
(19R) Φ57.5mm

WI - 7132
(25.4R) Φ40mm



WI - 7133-15 (L:15mm)
WI - 7133-52 (L:52mm)
WI - 7133-80 (L:80mm)
(20.6R) Φ40mm



WI - 7134
(27R) Φ57.5mm
L:75mm

WI - 7142-3D
(20.6R) Φ40mm
L:20mm

WI - 7143
(27R) Φ57.5mm
L:50mm

WI - 7145
(20.6R) Φ40mm

WI - SC96
(22.2R) L:70mm



WI - SC97
(31.8R) Φ57.5mm
L:70mm

WI - 7174H
Φ8mm

WI - 7175H
L:72mm

WI - 7176H
Φ4.8mm

WI - 7173H
L:25mm



WI - 7139H
Φ5mm
L:25mm

WI - 7150H
Φ5.3mm

WI - 7151H
Φ5mm

WI - 7118H
Φ4.7mm



WI - 7119H
Φ4.5mm
L:27mm

NEW

WI - 7190
Φ4.9mm

NEW

WI - 7192L
Φ6.5mm
WI - 7192S
Φ4mm

WI - 7168
Φ5.2mm
NEW **WI - 7168-6**
Φ6mm

WI - 7170H
L:65mm

NEW

WI - 7193
Φ5mm

WI - 7187A
L:20mm
WI - 7187B

NEW

WI - 9156-8B
L:138mm
Φ8mm

WI - 7159B (A:5mm)
WI - 7159C (A:4mm)

NEW

WI - 7154
WI - 7154-254

NEW

WI - 7155

PROTECTOR

Material:PP/NYLON/POM



WI - 9130



WI - 9112 (for QR Fork)



WI - 9139



WI - 9133 WI - 9133-15



WI - 9150 (Fork)

AA-143 (L:12 R:12)
AB-143 (L:12 R:11)
AC-143 (L:12 R:15)
A(135/143/147/151mm) W(7mm~20mm)



WI - 9145 (For Round Fork)



SUSPENSION

WI - 9156-8 (A:8mm) **WI - 9156-10** (A:10mm)



WI - 9156A-08



WI - 9151

Various Style



NEW

WI - 9131



NEW

WI - SR-XCR
(For SR/XCR Fork)



WI - 9137
(15mm)





WI - 9153
(19mm)



WI - 9132-2A



WI - 9132-4A





WI - 9136
WI - 9136S





WI - 9138



WI - 9140 (A:44mm)
WI - 9148 (A:54mm)



WI - 9141



WI - 9143



NEW

WI - 9165



WI - 9146-222
(A:22mm B:25mm)
WI - 9146-254
(A:25mm B:28mm)



WI - 9152



WI - 9157-138 (A:138mm)
WI - 9157-70 (A:70mm)



WI - 9159-15 (A:15mm)
WI - 9159-20 (A:20mm)

PROTECTOR

Material:PP/NYLON



NEW

WI - 9161-56K



NEW

WI - 9161-74K



WI - 9162



WI - 9166(煞車孔套)



NEW

WI - 9164-12



NEW

WI - 9164-15

Combination

WI - 7158-5
(5mm)

WI - 7158A-5
(5.5mm)



WI - 7163

WI - 7158A-4
(4.8mm)

NEW

WI - 7191-5
WI - 7191-6



WI - 9167

Hubnut Protector

WI - 7161A ($\frac{3}{8}$")
WI - 7161B ($\frac{5}{16}$")

WI - 7161C
15mm

WI - 7162-14 (14mm)
WI - 7162-10 ($\frac{3}{8}$")

Plastic Washers

WI - 9126
(I.D:4.5mm O.D:8mm)
H:1.2mm

土除螺絲華司
(I.D:9.5mm O.D:14mm)
H:5.1mm

本色華司
(I.D:4.9mm O.D:10mm)
H:3mm

NEW

WI - 7189N-1.5
Φ3mm L:18mm

NEW

WI - 7194
L:10mm



NEW

WI - 62134048

NEW

WI - 96K-254

NEW

WI - 7166-5.8
Φ5.8mm

NEW

WI - W47E-PI
L:32mm W:32mm H:9mm

Many Choices



WI - 9134



NEW

WI - 9134-15



NEW

WI - 9134-20





WI - 9135





WI - 9135-54

BRAKE CABLE

Material:PP/NYLON

WI - 191
Φ7.5mm

WI - 192
Φ4mm

WI - 194
L:17mm

WI - 195
Φ4mm

WI - 196
Φ8.5mm

WI - 7141
Φ9.5mm

Cable Protector

WI - 7144-4
4mm
WI - 7144-5
5mm

NEW

WI - CC1154F
Φ4.2mm L:18.8mm

NEW

WI - 1K-254
Φ24mm L:92mm

WI - 7180
L:83mm

NEW

WI - 7165-38L

NEW

WI - 38L-29A
L:27mm W:13mm H:10mm

NEW

WI - 7165-2.4
WI - 7165-2.8
WI - 7165-4.4
WI - 7165-4.8

PAINT PROTECTOR

Material:Silicon/EPDM



B.B

WI - 9158-34A A:45 B:35 C:20
WI - 9158-36A A:45 B:37 C:19
WI - 9158-43A A:50 B:44 C:15
WI - 9158-50A A:59 B:51 C:11
WI - 9158-52A A:59 B:53 C:10
WI - 9158-56A A:62 B:56 C:17

H.T

WI - 9158-34 A:45 B:35 C:20
WI - 9158-36 A:45 B:37 C:19
WI - 9158-43 A:50 B:44 C:15
WI - 9158-46 A:55 B:46 C:13
WI - 9158-50 A:59 B:51 C:11
WI - 9158-56 A:62 B:56 C:17
WI - 9158-35 A:47 B:35 C:18 D:41
WI - 9158-34-1K A:37.5 B:33.5 C:11
WI - 9158-34-1KL A:44 B:33 C:12
WI - 9158-48-47L A:50 B:36 C:12 D:42
WI - 9158-60-47L A:61 B:45 C:17 D:52

S.T

WI - 9158-254 (22.2-25.4mm)
WI - 9158-272 (27.2-28.6mm)
WI - 9158-318 (30.9-31.8mm)





WI - 9155-6.5 (A:6.5mm)
WI - 9155-8 (A:8mm)
WI - 9155-9 (A:9mm)

WI - 92K-F

WI - 9155-1K01

WI - 9155-1K02

WI - 9155-1K04

WI - 9155-1K05

WI - 9155-1K06

WI - 47L-01

WI - 47L-02

WI - 47L-03



WI - 47L-04

WI - 47L-05

WI - VZ-1











WI - 9155-21 (A:21mm)
WI - 9155-24 (A:24mm)
WI - 9155-29 (A:29mm)



WI - 9155A

WI - EAT-012

WI - EAT-108

WI - F3523



WI - 9160-3.5



WI - 9160-3.5X30



WI - 3X7.2X30



WI - 9160B
(4~9mm)



WI - 9160-A



WI - 9160-6035



WI - 9160-6009



WI - 9160-5



WI - 38L-13+

WI - 92K-B



WI - 9160-1127



WI - 9160-8522



WI - 9160-8522S



WI - 9160-4216



WI - 9160-4216N



WI - 9160-8516



WI - 9160-8516N



WI - 9155-96K03



WI - 9160-6016 A:6.5mm B:16mm
WI - 9160-1432 A:15mm B:32mm
WI - 9160-1932 A:20mm B:32mm



WI - 71K-1



WI - 37X11-1K





WI - 3514-1K

REFLECTORS

Material:NYLON

Bracket For Front & Rear

FK

WI - FK190 (Φ19mm)
WI - FK222 (Φ22.2mm)
WI - FK254 (Φ25.4mm)
WI - FK272 (Φ27.2mm)
WI - FK286 (Φ28.6mm)
WI - FK309 (Φ30.9mm)
WI - FK318 (Φ31.8mm)

RK

WI - RK190 (Φ19mm)
WI - RK222 (Φ22.2mm)
WI - RK254 (Φ25.4mm)
WI - RK272 (Φ27.2mm)
WI - RK286 (Φ28.6mm)
WI - RK309 (Φ30.9mm)
WI - RK318 (Φ31.8mm)

F

WI - F190 (Φ19mm)
WI - F222A (Φ22.2mm)
WI - F254 (Φ25.4mm)
WI - F272 (Φ27.2mm)
WI - F286 (Φ28.6mm)
WI - F309 (Φ30.9mm)
WI - F318 (Φ31.8mm)
WI - F350 (Φ35.0mm) NEW
WI - F222 (Φ22.2mm~25.4mm)

(assembled with spacer)

R

WI - R190 (Φ19mm)
WI - R222A (Φ22.2mm)
WI - R254 (Φ25.4mm)
WI - R272 (Φ27.2mm)
WI - R286 (Φ28.6mm)
WI - R309 (Φ30.9mm)
WI - R318 (Φ31.8mm)
WI - R350 (Φ35.0mm) NEW
WI - R222 (Φ22.2mm~25.4mm)

(assembled with spacer)

WI - 7104
Bracket for front reflector



WI - 7105
Bracket for front reflector

WI - F222B
Steel

Chain-Fall Protector

WI - 7138
(28.6mm)

WI - 7127
(31.8mm)

WI - 7128
(34.8mm)

Battery Case

For Electric Bikes
Material:PC/ABS

Rose/Reach/UL94

WI - 2100

Can cooperate open new mold

Customized design available

Holder A&B

Cooper Nut

A



B



防水達IP55
符合EN50604-1法規
Waterproof IP55
Compliant with EN5064-1 regulations

Specification	375X121X67
WI-2100H-A	6pcs in the box X 13hole
WI-2100H-B	2pcs in the box X 8hole

CHAIN STAY PROTECTOR

Material:KRATON/TPR

WI - 9124A	A:205mm B:20mm
WI - 9124B	A:208mm B:26mm
WI - 9124C	A:210mm B:22mm
WI - 9124D	A:235mm B:26mm
WI - 9124E	A:168mm B:21mm
WI - 9124F	A:260mm B:20mm



fit any size

PLASTIC SPACER

Material:PC/NYLON

WI - 9168-5 (W:5mm)
WI - 9168-10 (W:10mm)
I.D.:25.5mm O.D.:30mm



WI - 9163-5 (W:5mm)
WI - 9163-10 (W:10mm)
I.D.:29mm O.D.:35mm

WI - 9163-5P
WI - 9163-10P
(PRINT)

WI - 9163-5X
WI - 9163-10X
(CARBON LOOK)

WI - 9163-5W
WI - 9163-10W
(SB BLACK)

Other

WI - 7188
Material:NYLON

NEW

NEW

WI - RS7-44
L:59mm
Material:NYLON

POST COVERS
WI - 7112 (Size:23mmX50-180mm)
WI - 7114 (Size:28.6mmX50-140mm)
WI - 7115 (Size:27.6mmX50-140mm)
WI - 7116 (Size:26mmX50-180mm)
WI - 7117 (Size:38mmX40-120mm)

WI - 9101
Material:PP

WI - 9110E (12"spi)
WI - 9111E (16"spi)
W:115mm

WI - 9114E (12")
WI - 9115E (16")

WI - 9110BX (12")
WI - 9111BX (16")

墊片

A:厚2.0 長60 寬15mm
B:厚2.0 長75 寬15mm
C:厚3.4長90 寬17mm(唇邊)
D:厚1.5 長90 寬13mm
E:厚2.0 長106 寬15mm
F:厚1.5 長120 寬14mm
G:厚1.0 長120 寬14mm(唇邊)
H:厚2.0 長30 寬15mm
I:厚3.4 長50 寬16mm(唇邊)
J:厚1.0 長60 寬22mm
K:厚3.4 長70 寬17mm(唇邊)
M:厚3.4 長60 寬12.5mm
P:厚1.0 長70 寬14mm

www.winning99.com.tw

曜輗 企業有限公司

TEL:+886-6-3565599
FAX:+886-6-3566100
winning.gary99@gmail.com(English)
winning.abc@msa.hinet.net(中文)
統一編號:12814086
台南市安南區工明南一路106號(總頭寮工業區)
No.106, Gongming S. 1st Rd., Annan Dist.,
Tainan City 70968, Taiwan